



Quick Reference Guide
Precedent™
Light Commercial
 with eFlex™ Technology



1

Copyright

This document and the information in it are the property of Trane, and may not be used or reproduced in whole or in part without written permission. Trane reserves the right to revise this publication at any time, and to make changes to its content without obligation to notify any person of such revision or change.

Trademarks

All trademarks referenced in this document are the trademarks of their respective owners.

Revision History

Remove legacy Voyager product.

Model Numbers:
 YZC036-120
 TZC036-120

September 2023

RT-PRC059K-EN

©2023 Trane

2

Table 1. Gas/Electric units

Nominal Tonnage	Model	Cooling Data				Heating Data (Input/output) - (MBh)				Physical Data	
		EER	SEER or IEER	EER2 ^(a)	SEER2 ^(a)	Low	Med	High	Modulating Turn Down = 2.5:1	Dimensions L x W x H (Inches)	Ship Wt. (lbs.)
3	YZC036E3	13.0	20.1	13.1	19.2	60.0/48.0	80.0/64.0	100.0/80.0	N/A	69 7/8 x 44 1/4 x 36 1/4	658
3	YZC036E4	12.9	19.5	12.9	18.9	60.0/48.0	80.0/64.0	100.0/80.0	N/A	69 7/8 x 44 1/4 x 36 1/4	690
3	YZC036E3 and Digit 34 = A	13.0	20.1	13.1	19.2	60.0/48.6	N/A	N/A	N/A	69 7/8 x 44 1/4 x 36 1/4	680
3	YZC036E4 and Digit 34 = A	12.9	19.5	12.9	18.9	60.0/48.6	N/A	N/A	N/A	69 7/8 x 44 1/4 x 36 1/4	711
4	YZC048F3	13.6	19.4	12.8	18.6	60.0/49.0	80.0/64.0	120.0/96.0	N/A	88 7/8 x 53 1/4 x 40 7/8	809
4	YZC048F4	13.3	18.5	12.6	18.0	60.0/49.0	80.0/64.0	120.0/96.0	N/A	88 7/8 x 53 1/4 x 40 7/8	848
4	YZC048F3 and Digit 34 = A	13.6	19.4	12.8	18.6	60.0/48.6	90.0/72.9	N/A	N/A	88 7/8 x 53 1/4 x 40 7/8	831
4	YZC048F4 and Digit 34 = A	13.3	18.5	12.6	18.0	60.0/48.6	90.0/72.9	N/A	N/A	88 7/8 x 53 1/4 x 40 7/8	870
5	YZC060E3	12.9	19.6	12.5	19.0	60.0/49.0	80.0/64.0	130.0/104.0	N/A	88 7/8 x 53 1/4 x 40 7/8	910
5	YZC060E4	12.5	18.4	12.5	19.0	60.0/49.0	80.0/64.0	130.0/104.0	N/A	88 7/8 x 53 1/4 x 40 7/8	949
5	YZC060E3 and Digit 34 = A	12.9	19.6	12.5	19.0	60.0/48.6	90.0/72.9	N/A	N/A	88 7/8 x 53 1/4 x 40 7/8	932
5	YZC060E4 and Digit 34 = A	12.5	18.4	12.5	19.0	60.0/48.6	90.0/72.9	N/A	N/A	88 7/8 x 53 1/4 x 40 7/8	971
6	YZC072F3	12.8	23.2	-	-	80.0/64.8	120.0/97.2	150.0/121.5	150.0/121.5	88 7/8 x 53 1/4 x 46 7/8	966
6	YZC072F4	12.6	23.2	-	-	80.0/64.8	120.0/97.2	150.0/121.5	150.0/121.5	88 7/8 x 53 1/4 x 46 7/8	966
6	YZC072FW	12.5	22.6	-	-	80.0/64.8	120.0/97.2	150.0/121.5	150.0/121.5	88 7/8 x 53 1/4 x 46 7/8	966

3

Table 1. Gas/Electric units (continued)

Nominal Tonnage	Model	Cooling Data				Heating Data (Input/output) - (MBh)				Physical Data	
		EER	SEER or IEER	EER2 ^(a)	SEER2 ^(a)	Low	Med	High	Modulating Turn Down = 2.5:1	Dimensions L x W x H (Inches)	Ship Wt. (lbs.)
7.5	YZC090F3	12.8	22.4	-	-	120.0/97.2	150.0/121.5	200.0/162.0	200.0/162.0	88 7/8 x 53 1/4 x 46 7/8	1007
7.5	YZC090F4	12.8	22.4	-	-	120.0/97.2	150.0/121.5	200.0/162.0	200.0/162.0	88 7/8 x 53 1/4 x 46 7/8	1007
7.5	YZC090FW	12.8	21.5	-	-	120.0/97.2	150.0/121.5	200.0/162.0	200.0/162.0	88 7/8 x 53 1/4 x 46 7/8	1007
8.5	YZC102F3	12.6	22.5	-	-	120.0/97.2	150.0/121.5	200.0/162.0	200.0/162.0	88 7/8 x 53 1/4 x 46 7/8	1007
8.5	YZC102F4	12.6	22.5	-	-	120.0/97.2	150.0/121.5	200.0/162.0	200.0/162.0	88 7/8 x 53 1/4 x 46 7/8	1007
8.5	YZC102FW	12.6	21.5	-	-	120.0/97.2	150.0/121.5	200.0/162.0	200.0/162.0	88 7/8 x 53 1/4 x 46 7/8	1007
10	YZC120F3	12.1	23.0	-	-	150.0/121.5	200.0/162.0	250.0/202.5	250.0/202.5	99 11/16 x 63 3/16 x 50 7/8	1428
10	YZC120F4	12.2	23.0	-	-	150.0/121.5	200.0/162.0	250.0/202.5	250.0/202.5	99 11/16 x 63 3/16 x 50 7/8	1428
10	YZC120FW	12.1	22.5	-	-	150.0/121.5	200.0/162.0	250.0/202.5	250.0/202.5	99 11/16 x 63 3/16 x 50 7/8	1428

(a) EER2 and SEER2 is rated at AHRI conditions and calculated in accordance with AHRI Standard 210/240-2023. Airflow and net cooling capacity not shown.

5

4

Table 2. Electric/Electric units

Nominal Tonnage	Model	Cooling Data				kW Range					Dimensions L x W x H (Inches)	Ship Wt. (lbs.)
		EER	SEER or IEER	EER2 ^(a)	SEER2 ^(a)							
3	TZC036E3	13.0	20.1	13.1	19.2	6	12	18	N/A	N/A	69 7/8 x 44 1/4 x 36 1/4	596
3	TZC036E4	12.9	19.5	12.9	18.9	6	12	18	N/A	N/A	69 7/8 x 44 1/4 x 36 1/4	628
4	TZC048F3	13.6	19.4	12.8	18.6	6	12	18	N/A	N/A	88 7/8 x 53 1/4 x 40 7/8	738
4	TZC048F4	13.3	18.5	12.6	18.0	6	12	18	N/A	N/A	88 7/8 x 53 1/4 x 40 7/8	777
5	TZC060E3	12.9	19.6	12.5	19.0	6	12	18	23	N/A	88 7/8 x 53 1/4 x 40 7/8	834
5	TZC060E4	12.5	18.4	12.5	19.0	6	12	18	23	N/A	88 7/8 x 53 1/4 x 40 7/8	873
6	TZC072F3	12.8	23.2	-	-	9	18	27	36	N/A	88 7/8 x 53 1/4 x 46 7/8	893
6	TZC072F4	12.6	23.2	-	-	9	18	27	36	N/A	88 7/8 x 53 1/4 x 46 7/8	893
6	TZC072FW	12.5	22.6	-	-	N/A	18	N/A	36	N/A	88 7/8 x 53 1/4 x 46 7/8	893
7.5	TZC090F3	12.8	22.4	-	-	9	18	27	36	N/A	88 7/8 x 53 1/4 x 46 7/8	908
7.5	TZC090F4	12.8	22.4	-	-	9	18	27	36	N/A	88 7/8 x 53 1/4 x 46 7/8	908
7.5	TZC090FW	12.8	21.5	-	-	N/A	18	N/A	36	N/A	88 7/8 x 53 1/4 x 46 7/8	908
8.5	TZC102F3	12.6	22.5	-	-	9	18	27	36	N/A	88 7/8 x 53 1/4 x 46 7/8	908
8.5	TZC102F4	12.6	22.5	-	-	9	18	27	36	N/A	88 7/8 x 53 1/4 x 46 7/8	908
8.5	TZC102FW	12.6	21.5	-	-	N/A	18	N/A	36	N/A	88 7/8 x 53 1/4 x 46 7/8	908
10	TZC120F3	12.1	23.0	-	-	N/A	18	27	36	54	99 11/16 x 63 3/16 x 50 7/8	1302

Table 2. Electric/Electric units (continued)

Nominal Tonnage	Model	Cooling Data				kW Range				Dimensions L x W x H (Inches)	Ship Wt. (lbs.)	
		EER	SEER or IEER	EER2 ^(a)	SEER2 ^(a)							
10	TZC120F4	12.2	23.0	-	-	N/A	18	27	36	54	99 ¹¹ / ₁₆ x 63 ³ / ₁₆ x 50 ⁷ / ₈	1302
10	TZC120FW	12.1	22.5	-	-	N/A	18	N/A	36	54	99 ¹¹ / ₁₆ x 63 ³ / ₁₆ x 50 ⁷ / ₈	1302

(a) EER2 and SEER2 is rated at AHRI conditions and calculated in accordance with AHRI Standard 210/240-2023. Airflow and net cooling capacity not shown.

Trane - by Trane Technologies (NYSE: TT), a global climate innovator - creates comfortable, energy efficient indoor environments for commercial and residential applications. For more information, please visit trane.com or tranetechnologies.com.

Trane has a policy of continuous product and product data improvement and reserves the right to change design and specifications without notice. We are committed to using environmentally conscious print practices.