


Product Data

Tracer® 10 inch Display

Data Sheet



Ordering Number:

X13760351001 (10-inch Display)

A SAFETY WARNING

Only qualified personnel should install and service the equipment. The installation, starting up, and servicing of heating, ventilating, and air-conditioning equipment can be hazardous and requires specific knowledge and training. Improperly installed, adjusted or altered equipment by an unqualified person could result in death or serious injury. When working on the equipment, observe all precautions in the literature and on the tags, stickers, and labels that are attached to the equipment.





Trademark

All trademarks referenced in this document are the trademarks of their respective owners.

Display Specifications

Wi-Fi	802.11 b/g/n
Wired Ethernet	Optional wired 10/100 Ethernet through the use of an included USB adapter and 7 FT Ethernet cable
Screen size	10.1"
Resolution	1280 x 800 pixels
Brightness	400 cd/m ²
Contrast ratio	900
Aspect ratio	16:9
Active area size (HxV)	216.96x135.6 mm
Viewing angle	80°/80°/80°/80°
Touch technology	Capacitive G+G 5 point
Mounting	75mmX75mm VESA (mounting bracket included)

Contents and Hardware

Item	Contents
Display:	Wired Ethernet (includes 7-ft Ethernet Cable) Wall mountable (VESA, 75 mm x 75 mm pattern) 10" color touchscreen;120 VAC Includes display mount— X05010511010 Optimized for up to 30 zones/areas Limited control temperature range that is customer selectable in the display settings A 2-hour override during the times when the building needs to be occupied outside of scheduled hours Scheduling edits Custom graphics Configurable view: Zones page, Schedules, Graphics
Optional Hardware	
Optional hardware:	Preconfigured router for display X13651632010

2 BAS-PRD028C-EN



Notes

TRANE

BAS-PRD028C-EN 3

