



Thermafit™ Modular Units

Introducing the ultimate combination of flexibility, reliability and high performance

Trane is the real difference.

When you select a modular unit, the name standing behind it will make a difference in how well it performs in a building, and how high satisfaction stays during its many years of service. At Trane, we bring our depth and breadth of expertise, backgrounds, and perspectives to new technology innovation—as well as individualized solutions. Our world-class system design and expert support makes sure that we get it right for your building today and the world tomorrow. With over 250 local sales offices throughout North America, help is always nearby when you need it.

Solve space challenges. Move in higher performance.

Achieve the level of performance your building requires where space is limited. Thermafit™ modular chillers and heat pumps fit easily where others can't. Components are sized to easily go through standard doorways and onto freight elevators. Parts reassemble into a fully functional, high-performance chiller in a matter of hours.

Thermafit modular equipment performance is lab-verified and validated by Trane. Modules provide true redundancy—meaning they eliminate as many single points of failure as possible.



Check more boxes on your way to meeting decarbonization goals.

Maximizing energy efficiency is essential to building sustainability and reducing operating costs. Various Thermafit modules include the following features to stretch energy efficiency to its max:

- Heat recovery
- Free cooling
- Variable speed compressors and fans
- Heat pumps and multipipe units

Sustainability is THE Priority

We believe the future belongs to those who are ambitious enough to create it.

With Trane Technologies we're on the forefront of sustainability, delivering premier HVAC performance that makes a positive impact on people and the planet.

Uniquely positioned to lead a movement to reduce greenhouse gas (GHG) emissions

Accelerate Clean Technologies



CLEAN200™

#66 Corporate Knights Clean200 list of public companies ranked by green revenue

20 million+ metric ton reduction in the use phase emissions of our products since 2014

Addressing System Energy Efficiency

Holistic Solutions

Connecting, monitoring and automating a building's entire mechanical system to operate in the most efficient way possible

Strategic Electrification of Heating

Innovating new solutions to remove fossil fuels on-site and help our customers be resilient in what's set to be a tumultuous decade

Transitioning Out of High GWP Refrigerants

By 2030 we will fully transition out of high GWP refrigerants, ahead of regulation


30+ countries (most of which do not have regulations in place) where our next-generation chillers can be purchased



Switch to electric heating.

Select the heating capabilities you need to reduce carbon emissions. One major step in the journey to building decarbonization is the replacement of boilers that burn fossil fuels with an energy-efficient, electrified heating source. Many Thermafit™ modules have an electric heating capability, making them ideal for bringing existing buildings into compliance with building codes and regulations for electrification.






Build the capacity you need today and have the foresight to make it future friendly.

Meet big and small capacity requirements by joining several Thermafit modules. Multiple independent modules can be coupled together on a shared header system, electrical system, and control system. Installing multiple modules creates true redundancy and builds peace of mind. A bank of modules enables different levels of control to optimize comfort, reliability and more: A primary microprocessor controller activates/deactivates modules as needed to maintain proper leaving water temperature. Easily add capacity as the business and occupancy grows—without expanding electrical service.

Multiple Modules




Thermafit modular units fit where other chillers don't. Now every retrofit is an opportunity to introduce greater energy efficiency and sustainability.



Achieve service and operational advantages.

Thermafit simplifies service and maintenance by providing easy access to strainers. Strainer cleaning is a method of removing debris from the fluid loop to protect the heat exchanger. Fine mesh strainers allow for cleaning without equipment shutdown. Isolation valves allow some modules to be serviced while others continue operating.



Trane provides professional refrigerant handling for worry-free compliance with EPA Section 608. Trane technicians track all refrigerant in all equipment serviced regardless of appliance size. (This supports accurate emissions reporting where applicable.)



Connectivity: take the next step.

The easy to operate touchscreen controller connects with any building automation system (BAS) or building management system (BMS) including Trane's Tracer® SC+ and Tracer® Ensemble® to help you integrate Thermafit with other energy-using systems, such as lighting. Coordinated scheduling through the BMS lets you match system use to occupancy, so you can reduce your energy bill along with your carbon impact.

With Trane, you get more.

Trane is your trusted partner for building technology and energy solutions. We can help you achieve reliable and comfortable indoor temperatures, while reaching efficiency and sustainability goals. We solve for Both/And—so you don't have to settle for Either/Or. Every Thermafit unit is wrapped in Trane's unique domain of systems expertise and lifecycle chiller maintenance and service.

- **Partnership at every step**—assistance with start-up, with 250 local sales offices to making it more convenient to get the support you need.
- **System design**—ensuring you have the best equipment and controls working together to establish performance-driven solutions.
- **Installation and commissioning**—establishing proper performance within the space.
- **Local, professional service and maintenance**—an expansive network, providing the consistent, continuous chiller performance you expect, year after year.




Put data to use.

Once a unit is connected, our digital services can leverage its data to create simple dashboards that help you to understand performance of your building and its assets. Dashboards can help to identify trends proactively, and find opportunities for increasing efficiency, decreasing energy use and increasing productivity through system optimization.

Thermafit Family

Choose from a comprehensive line of modular chillers with an array of choices: cooling only, or heating and cooling; air- and water-cooled units; scalable capacities; and multiple features to serve specific application requirements and site limitations. You tell us about the vision for your building, and we'll make it happen.



	Chiller	Chiller	Chiller + Heat Recovery	Chiller + Free Cooling	Heat Pump	Multi-pipe
	Cooling Only	High Efficiency Cooling	Heating while Cooling	Cooling with Low Ambient	Heating or Cooling	Any Combination
Air Cooled	AMC Manhattan – 15-80 Ton (1-10 mod/array)	n/a	AMC 20-80 Ton (1-10 mod/bank)	AMC Manhattan – 15-80 Ton (1-10 mod/bank)	AXM 30 Ton (2-10 mod/bank)	MAS Coming Soon
Water Cooled	MWC Manhattan – 15-80 Ton (1-10 mod/bank)	TACW MiniMod – 65-135 Ton (1-8 mod/array)	MWC Manhattan – 15-80 Ton (1-10 mod/bank) SuperMod – 20-40 Ton (1-10 mod/bank)	n/a	WXM 20-80 Ton (1-10 mod/bank)	MWS Polytherm – 30-60 Ton (3-10 mod/bank)

Trane® Thermafit™ Air-cooled Modular Chillers

Free cooling and heat recovery option

Model AMC

Thermafit air-cooled modular chillers unite modular flexibility with super-efficient comfort—all while providing true redundancy and reliability. They are available with different efficiency levels.

Level up on efficiency

Variable speed compressor and fans, full heat recovery and free cooling enhance energy efficiency.

AMC utilizes full heat recovery instead of rejecting waste heat to the atmosphere. Our heat recovery option can be applied to any 4-pipe system to produce COPs of 3 to 6. Free-cooling option takes advantage of cooler ambient air temperature to reduce energy consumption.

Thermafit offers heating and cooling

Heat recovery reduces the overall need to operate gas or electric boilers. The air-cooled chiller would be sized for the dominant cooling load, but it provides the flexibility to reuse any or all of the waste heat. Modular system design allows the chiller-heaters to respond to varying heating loads by staging anywhere from one, up to the full bank of units in heat recovery mode, optimizing system efficiency. Any additional modules that are needed to meet peak cooling demand will still operate in cooling mode.

Noteworthy

- Gain higher part load efficiency by selecting a variable speed compressor and variable speed fans.
- Save energy with partial or full free cooling and avoiding compressor operation when outdoor ambient temperatures are cooler.
- Decarbonize by utilizing full heat recovery instead of rejecting waste heat to the atmosphere.
- Brazed plate heat exchanger requires smaller amounts of refrigerant.
- Dual refrigerant circuits allow for greater reliability.



Specifications

Capacity Range:

15-80 tons per module (expandable to 800-ton banks)

Refrigerant: R-410a

Compressor Design:

Fixed speed scroll with variable speed option

Factory-Installed Optional Features:

Heat recovery, Free Cooling, Tank and Pump Module, Variable Speed Drives, Electronic Isolation Valve, BMS Integration

Trane® Thermafit™ Air-to-water Heat Pump

Cooling or heating

Model AXM

Thermafit air-to-water heat pumps combine modular flexibility with Trane's lab-verified performance in colder climates.

Electrify to decarbonize

Policies to eliminate fossil fuel use in buildings are increasing the demand for heat pumps that can perform efficiently and reliably in a wider range of conditions. AXM features vapor injection which allows for greater lift; and thus, leaving higher hot water temperatures. The units are lab-tested to provide reliable heating in outdoor ambient temperatures down to 0°F, and hot water temperatures up to 140°F. Multiple circuits help with tight temperature control.

Noteworthy

- Vapor injection allows for heating in colder climates.
- Reversing valve allows for independent module defrost cycles.
- Independent controls on each module allow for independent operation of all modules as required for capacity or maintenance needs.
- ECM fans with variable speed fan/motor assemblies reduce sound and energy usage.
- Minimum of 2 modules required for ordering.



Specifications

Capacity Range:

30 tons (390 MBh) per module (expandable to 300-ton banks)

Refrigerant: R-410a

Compressor Design: Fixed speed vapor injection scroll

Factory-Installed Optional Features:

Pump Module, BMS Integration

Trane® Thermafit™ Water-cooled Chillers

Cooling with heat recovery and domestic hot water options

Model MWC

Thermafit™ water-cooled chillers provide a super energy-efficient way to decarbonize cooling, heating and domestic hot water production where space is limited. They are available with different levels of efficiency.

Sustainability and efficiency features

Variable speed drives with permanent magnet motors work to match load needs precisely, providing superior part load efficiency. Along with exceptionally energy-efficient cooling, electrified cooling with a heat recovery option can reduce the overall carbon footprint.

Domestic hot water

Electrified domestic hot water production saves energy. MWC can reduce energy use for domestic hot water heating by reclaiming waste heat from the electrified cooling cycle.

Noteworthy

- Heat recovery produces hot water up to 175°F.
- Optional double wall brazed plate heat exchanger produces domestic hot water.
- Set of fixed- and variable-speed drives work in tandem to optimize part load efficiency.
- Multiple circuits enable tighter, more precise temperature control.



Specifications

Capacity Range:

Standard efficiency 15–80 tons per module
(expandable to 800-ton banks)

Refrigerant: R-410a or R-134a

Compressor Design:

Fixed speed scroll with optional variable speed

Factory-Installed Optional Features:

Tank and Pump Module, Variable Speed Drive, Electronic Isolation Valve, Shell and Tube Condenser, Double Wall Condenser, BMS Integration

Trane® Thermafit™ Water-to-water Heat Pumps

Cooling or heating

Model WXM

Thermafit water-to-water heat pumps are the practical and sustainable choice to reduce greenhouse gas emissions as the use of renewable energy grows.

Efficient and electric

Heat pumps move energy rather than generate energy so they can be three times more efficient than other forms of electric heating. That makes them a great way to go all-electric. Using less electricity lowers utility bills and can also help ease the grid's transition to clean energy sources.

Sustainability features

Achieve LEED credits and net-zero goals. WXM is ideal for applications with nearby cold water sources such as a lake, ground water, wastewater or geothermal bore fields. These renewable sources allow for the transfer of energy to power heat pumps for year-round heating and cooling.

Noteworthy

- Each unit has its own controller and a reversing valve on each refrigeration circuit to allow for continuous defrost operation during heating mode.
- The bank of modules can easily ramp up space cooling or heating to meet specific comfort needs.
- Up to ten modules can be connected in a bank to provide centralized plant benefits, including primary control, high-efficiency reduced piping, simplified maintenance, acoustical advantages and air-distribution flexibility.
- Dual refrigeration circuits allow for greater reliability.



Specifications

Capacity Range:

20-80 tons per module (expandable to 800-ton banks)

Refrigerant: R-410a or R-134a

Compressor Design: Fixed speed scroll / Optional variable speed

Factory-Installed Optional Features:

Tank and Pump Module, Variable Speed Drive, BMS Integration

Trane® Thermafit® Water-source Multi-pipe Units

Simultaneous cooling and heating

Model MWS

Thermafit™ water-source multipipe units optimize comfort and efficiency in your building year-round. They are ideal for geothermal applications.

Sustainability and efficiency features

Trane's water-source multi-pipe units enable simultaneous heating and cooling, so you can optimize comfort in the building year-round. Independent heating and cooling setpoints deliver industry-leading combined heating and cooling efficiencies up to 28 EER while in simultaneous mode. Independent fluid loops improve efficiency and reduce glycol requirements by allowing water in the heating and cooling loops and glycol in the source loop.

Noteworthy

- Six-pipe design features three independent water loops. Each loop operates on its own compressor for reassuring redundancy and tighter fluid control. Three independent fluid loops prevent glycol mixing.
- Saves space by combining heating and cooling duties and eliminating glycol mixing.
- Provides up to 135°F leaving water temperature to support year-round heating.
- Independent heating and cooling setpoints deliver industry-leading combined heating and cooling efficiencies up to 28 EER while in simultaneous mode.
- Minimum of 3 modules required for ordering.



Specifications

Cooling Capacity Range:

30-60 tons per module (expandable to 600-ton banks)

Heating Capacity Range: 450 MBh to 7,200 MBh

Refrigerant: R-410a

Compressor Design: Tandem set fixed speed scroll

Factory-Installed Optional Features: BMS Integration

Trane® Thermafit™ Oil-free Magnetic Bearing Modular Units

Cooling only

Model TACW

Trane packs in the advantages. The Thermafit TACW oil-free magnetic bearing modular unit offers the ultimate combination of compact design, efficiency and low sound.

Compact design

This earth-friendly mini modular unit is the smallest of them all, yet it doesn't skimp on performance. TACW installs in very small spaces and facilitates convenient curbside delivery. Fully assembled, it passes through standard 36-inch doorways and rides on passenger elevators. Units knock down even more to squeeze into tighter spaces. Components can be taken apart fully or partially for rigging into places like cramped equipment rooms.

Efficiency and sustainability features

TACW units are oil-free, which eliminates fossil fuel use. They are designed with a low GWP refrigerant option to lower environmental impact. High-efficiency compressors with variable speed drives reduce emissions and utility costs.

Ultra-quiet performance

Ultra-quiet compressors produce 75 dB of sound at 10 feet (about the same as a TV at normal volume). Moving mechanical parts never touch the housing or frame to create noise.

Noteworthy

- Compressor falls within standard shipping size and weight limitations—perfect when fast delivery is a must.
- Low starting current (Amps) avoids expansion of electrical service.
- Zero oil-related maintenance.
- Cleanable shell and tube heat-exchanger.
- Dedicated compressors for each refrigerant circuit avoid systems shut down.
- Full load efficiency exceeds ASHRAE® 90.1 standards.



Specifications

Capacity Range:

65-135 tons per module (expandable to 1000-ton bank)

Refrigerant: R-134a or R-513A

Compressor Design: Oil-free magnetic bearing centrifugal

Factory-Installed Optional Features:

Waterbox Hinges, Low Lift Pump, Harmonic Filters, Remote Monitoring

Older buildings can be more sustainable.
Ask your Trane Account Manager for additional details.



Trane – by Trane Technologies (NYSE: TT), a global climate innovator – creates comfortable, energy efficient indoor environments through a broad portfolio of heating, ventilating and air conditioning systems and controls, services, parts and supply. For more information, please visit trane.com or tranetechnologies.com.

All trademarks referenced in this document are the trademarks of their respective owners.

© Trane. All Rights Reserved.

ARTC-SLB005-EN
05/15/2023