
Operation Manual

Convertible Air Handler 2-5 Ton

5TEM7B02AC21SA 5TEM7C04AC31SA 5TEM7D06AC31SA 5TEM7D07AC41SA



NOTE: Appearance of unit may vary. Installation must be performed in accordance with the requirements of NEC and CEC by authorized personnel only.

All phases of this installation must comply with National, State and Local Code.

This document is customer's property and is to remain with this unit. Please return it to customer with service information upon completion of work.

These instructions are intended as an assist to qualified and licensed personnel for proper installation, adjustment and operation of ECM air handler units. Read it thoroughly before attempting installation or service work.

Failure to follow these instructions may result in fire, electrical shock, property damage, personal injury or death

The instructions do not cover all variations in systems or provide for every possible contingency to be met in connection with the installation.

October 2025











Table of Contents

1. Safety precautions	. 5
1.1. Symbols used in the text	. 5
1.2. User and operation safety precautions	. 6
1.3. Disposing of the unit	. 7
2. Operation	. 7
2.1. Operation mode select	. 7
2.2. Set point range	
3. Care and cleaning	. 8
3.1. Filter removal and replacement	. 8
4. Troubleshooting	. 9
5. Specifications	. 9
5.1. Specification notes	10
5.2. Approved electric heater kits	11
6. Appendix A: Apache license	11









1. Safety precautions

1.1. Symbols used in the text



WARNING

Describes precautions that should be observed to prevent danger of injury or death to the user.



/! CAUTION

Describes precautions that should be observed to prevent damage to the unit.



FLAMMABLE REFRIGERANT WARNING

This unit uses a flammable refrigerant. If refrigerant leaks and comes in contact with fire or heating part, it will create harmful gas and there is risk of fire.



: Indicates a part which must be grounded.

	Meaning of symbols displayed on unit					
	Refrigerant Safety Group A2L Warning! (Risk of fire) Warning! (Risk of fire) This unit uses a flammable refrigerant. If refrigerant leaks and comes in contact with fire or heating part, it will create harmful gas and there is risk of fire.					
	Read the OPERATING INSTRUCTIONS carefully before operation.					
	Service personnel are required to carefully read the OPERATING INSTRUCTIONS and INSTALLATION MANUAL before operation.					
i	Further information is available in the OPERATING INSTRUCTIONS, INSTALLATION MANUAL, and the like.					

DLR-SVX018A-EN 5

•







1.2. User and operation safety precautions

- Before installing the unit, make sure you read all the "Safety Precautions".
- The "Safety Precautions" provide very important points regarding safety. Make sure you follow them.
- Please report to or take consent by the supply authority before connection to the system.



FLAMMABLE REFRIGERANT WARNING

Do not install auxiliary devices which may be a **POTENTIAL IGNITION SOURCE** in the ductwork.

 Examples of such POTENTIAL IGNITION SOURCES are hot surfaces with a temperature exceeding 1292 °F (700 °C) and electric switching devices.

Table 1, found in the *Specifications* chapter of this operation manual, sub-section: *Approved electric heater kits*, includes electric heat kits manufactured for the manufacturer that are allowed for use with R454B refrigerant products.



FLAMMABLE REFRIGERANT WARNING

LEAK DETECTION SYSTEM installed. Continuous air circulation required for proper functioning. Indoor unit must be powered except for service.

Do not install equipment in a configuration where false ceilings or drop ceilings are used as a return air plenum.

Store the indoor unit in a room without continuously operating ignition sources (open flames, gas appliance, or an electric heater).

Ensure the indoor unit installation location is not accessible to the general public.

Be aware that refrigerants may not contain an odor.



WARNING

- The unit must not be installed by the user. Ask
 the dealer or an authorized company to install
 the unit. If the unit is installed improperly, water
 leakage, electric shock or fire may result.
- · Do not stand on, or place any items on the unit.
- Do not splash water over the unit and do not touch the unit with wet hands. An electric shock may result.
- Do not spray combustible gas close to the unit.
 Fire may result.
- Do not place a gas heater or any other openflame appliance where it will be exposed to the air discharged from the unit. Incomplete combustion may result.
- Do not remove the front panel or the fan guard from the outdoor unit when it is running.
- When you notice exceptionally abnormal noise or vibration, stop operation by setting the mode to OFF, and contact your dealer.
- Never insert fingers, sticks etc. into the intakes or outlets.
- This air conditioner is NOT intended for use by children or infirm persons without supervision.
- Young children must be supervised to ensure that they do not play with the air conditioner.
- If the refrigeration gas blows out or leaks, thoroughly ventilate the room, and contact your dealer.



CAUTION

- Never block or cover the indoor or outdoor unit's intakes or outlets.
- Do not attempt to accelerate the defrosting process nor to clean the frost, other than those recommended by the manufacturer.







1.3. Disposing of the unit

When you need to dispose of the unit, consult your dealer.

2. Operation

2.1. Operation mode select


The system offers a range of modes including Cool, Dry, Fan, Heat, Automatic (Cool/Heat), and Ventilation.



NOTE

- Heat and Automatic modes are not available for units designed solely for cooling.
- Auto mode: the system adjusts its operation based on the cooling and heating set temperatures:
 - If the room temperature exceeds the set temperature, the system initiates cooling.
 - When room temperature consistently remains at least 4 °F (2 °C) above the set temperature for 15 minutes, the system switches to cooling mode.
 - If the room temperature falls below the set temperature, heating is activated.

 When room temperature stays at least 4°F (2°C) below the set temperature for 15 minutes, the system switches to heating mode.



2.2. Set point range

Settable preset temperature range			
Cooling / Drying	67 - 87 °F [19 - 30 °C]		
Heat	63 - 83 °F [17 - 28 °C]		
Auto	67 - 83 °F [19 - 28 °C]		
Fan speed settings	Low - Medium - High - Auto		

DLR-SVX018A-EN 7

•







3. Care and cleaning

· Cleaning the filters

- Clean the filters using a vacuum cleaner. If you do not have a vacuum cleaner, tap the filters against a solid object to knock off dirt and dust.
- If the filters are especially dirty, wash them in lukewarm water. Take care to rinse off any detergent thoroughly and allow the filters to dry completely before putting them back into the unit.



CAUTION

- Do not dry the filters in direct sunlight or by using a heat source, such as an electric heater: this may warp them.
- Do not wash the filters in hot water (above 122° F [50° C]), as this may warp them.
- Make sure that the air filters are always installed. Operating the unit without air filters can cause malfunction.



CAUTION

- Before you start cleaning, stop operation and turn OFF the power supply.
- Indoor units are equipped with filters to remove dust and other contaminants from the return air stream. Clean the filters using the methods shown in the following sketches.

3.1. Filter removal and replacement




CAUTION

In removing the filter, precautions must be taken to protect your eyes from dust. Also, if you have to climb up on a stool to do the job, be careful not to fall.

When the filter is removed, do not touch the metallic parts inside the indoor unit, otherwise injury may result.

Unscrew the two thumb knobs on the panel stamped "filter" tilt forward and pull the panel out. Grasp the edge of the filter and slide out. Re-install in reverse.









4. Troubleshooting

Havi	ng trouble?	Н	ere is the solution. (Unit is operated	ating normally.)	
Air conditioner does not	heat or cool well.	 Clean the filter. (Airflow is reduced when the filter is dirty or clogged.) Check the temperature adjustment and adjust the set temperature. Make sure that there is plenty of space around the outdoor unit. Is the indoor unit air intake or outlet blocked? Has a door or window been left open? 			
When heating operation from the indoor unit soo	starts, warm air does not blow n.	Warm air does r	not blow until the indoor unit has su	ifficiently warmed up.	
During Heat mode, the a set room temperature is	air conditioner stops before the reached.	the outdoor unit	or temperature is low and the hum If this occurs, the outdoor unit per n should begin after approximately	forms a defrosting operation.	
A flowing water sound o heard.	r occasional hissing sound is		an be heard when refrigerant is flo rant flow is changing.	wing in the air conditioner or	
A cracking, creaking, or	popping sound is heard.		an be heard when parts rub agains temperature changes.	st each due to expansion and	
The room has an unplea	sant odor.	 The indoor unit draws in air that contains gases produced from the walls, carpeting, and furniture as well as odors trapped in clothing, and then blows this air back into the room. 			
A white mist or vapor is	emitted from the indoor unit.	 If the indoor temperature and the humidity are high, this condition may occur when operation starts. During defrosting mode, cool airflow may blow out and appear like a mist. 			
Water or vapor is emitte	d from the outdoor unit.	During Heat mo During defrostin	 During Cool mode, water may form and drip from the cool pipes and joints. During Heat mode, water may form and drip from the heat exchanger. During defrosting mode, water on the heat exchanger evaporates and water vapor may be emitted. 		
	conditioner soon after stopping en though the ON/OFF button	Wait approximately three minutes. (Operation has stopped to protect the air conditioner.)			
Draining water or motor	rotation sound is heard.	 When cooling operation stops, the drain pump operates and then stops. Wait approximately 5 minutes. 			
Noise is louder than spe	 The indoor operation sound level is affected by the acoustics of the particular as shown in the following table and will be higher than the noise specification which was measured in an echoic room. 				
	High sound absorbin	ig rooms	Normal rooms	Low sound absorbing rooms	
Location examples	Broadcasting studio, mus	sic room, etc	Reception room, hotel lobby, etc.	Office, hotel room	

5. Specifications

Noise levels

Model code			5TEM7B02AC21SA	5TEM7C04AC31SA
Power Source			208/230V, 1-	phase, 60Hz
Btu/h			24,000 / 25,000	33,400 / 33,400
Cooling & heating capacity		kW	7.0 / 7.3	9.8 / 9.8
Tonnage			2	3
Dimensions Height mm [in]			1,011 [39-13/16]	1,113.8 [43-7/8]

6 to 10 dB(A)

9 to 13 dB(A)

3 to 7 dB(A)









Model code			5TEM7B02AC21SA	5TEM7C04AC31SA
	Width		432 [17]	534 [21]
	Depth		548 [21-5/8]	
Net weight		kg [lb]	44 [97] 55 [122]	
	Airflow rate Low/Mid/Hi	CFM	471 – 573 – 700	767 - 910 - 910
Fan	Min. circulation airflow ^{a.}	CIW	700	910
	External static pressure	in. WG [Pa]	0.30 - 0.50 - 0.80 [75 - 125 - 200]	

a. Specified in UL60335-2-40.

Model code			5TEM7D06AC31SA	5TEM7D07AC41SA	
Power source			208/230V, 1-phase, 60Hz		
Cooling / Heating capacity B kW		Btu/h	48,000 / 51,000	56,000 / 58,000	
		kW	14.1 / 14.9	16.4 / 17.0	
Tonnage			4	5	
	Height		1511 [59-1/2]	1511 (59-1/2)	
Dimensions	Width	mm [in]	635 [25]	635 (25)	
	Depth		548 [21-5/8]	548 [21-5/8]	
Net weight	'	kg [lb]	78 [172]	79 (174)	
	Airflow rate ^{a.} (low-mid-high)	CFM	1040 - 1262 - 1485	1155 -1400 -1650	
Fan	Minimum circulation airflowb.		1485	1650	
	External static pressure	in. WG [Pa]	0.30 - 0. . [75 - 12		

a.[→Specified in UL60335-2-40]

5.1. Specification notes



IMPORTANT

When a refrigerant leak is detected, the fan starts up to begin circulation. The airflow during this time is shown in the tables above as "Minimum circulation airflow". Please install the duct carefully for proper ventilation.



- 1. Units should be installed by a licensed HVAC and / or electrical contractor according to local and state code requirements.
- 2. For outdoor units to be connected, refer to the Installation manual that comes with the units.





b.[→Specified in UL60335-2-40]



Indoor unit rated conditions					
	Indoor	80 °F [26.7 °C] D.B.			
Cooling	illuooi	67 °F [19.4 °C] W.B.			
	Outdoor	95 °F [35 °C] D.B.			
Heating	Indoor	70 °F [21.1 °C] D.B.			
	Outdoor	47 °F [8.3 °C] D.B.			
	Outdoor	43 °F [6.1 °C] W.B.			

- · The indicated capacity is the value when one indoor unit is connected to the outdoor unit.
- The external static pressure is set to 0.50 in. WG (125 Pa) at factory shipment

Indoor unit guaranteed operating range					
	Upper limit	90 °F [32 °C] D.B.			
Cooling	Оррег штш	73 °F [23 °C] W.B.			
Cooling	Lower limit	66 °F [19 °C] D.B.			
		59 °F [15 °C] W.B.			
Heating	Upper limit	82 °F [28 °C] D.B.			
	Lower limit	64 °F [18 °C] D.B.			

5.2. Approved electric heater kits

Table 1. Approved for use with 5TEM7 and R454B refrigerant.

Model code	EH03/05-SVZ-S	EH08-SVZ-S	EH05/08/10-SVZ-M	EH10/15/17-MPA-L(B)	EH19-MPA-L(B)
5TEM7B02AC21SA	x	x			
5TEM7C04AC31SA			x		
5TEM7D06AC31SA				х	
5TEM7D07AC41SA				х	x

6. Appendix A: Apache license

This product contains software to which Apache License, Version 2.0 applies.

The license agreement of Apache License, Version 2.0 is shown below.

Apache License Version 2.0, January 2004 http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.







"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the cop- yright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution." "Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

- Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no charge, royaltyfree, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
- Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
- Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that the following conditions are met:

 (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

12 DLR-SVX018A-EN

(





- •
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License. You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
- 5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
- Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licen-

- sor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
- 7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
- 8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
- 9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

Copyright 2025 Mitsubishi Electric Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

DLR-SVX018A-EN 13

(



You may obtain a copy of the License at http://www.apache.org/licenses/LICENSE-2.0


Unless required by applicable law or agreed to in writing, software distributed under the License is

distributed on an "AS IS" BASIS, WITHOUT WAR-RANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.











About Trane and American Standard Heating and Air Conditioning

Trane and American Standard create comfortable, energy efficient indoor environments for residential applications. For more information, please visit www.trane.com or www.americanstandardair.com







The AHRI Certified mark indicates company participation in the AHRI Certification program. For verification of individual certified products, go to ahridirectory.org.

The manufacturer has a policy of continuous data improvement, and it reserves the right to change design and specifications without notice. We are committed to using environmentally conscious print practices.

(





