



Aluminum Cased Horizontal Flat, Heat Pump / Cooling Coils 2 – 5 Ton

5PXFH-AZ

Heat Pump / Cooling Coils for R-454B Refrigerant









General Data

PRODUCT SPECIFICATIONS $^{[1]}$ – 5PXFH – SPLIT SYSTEM HEAT PUMP / COOLING COMFORT TM COILS CASED HORIZONTAL

5PXFH005AZ3HHA	EDVELION A ZOLULA		
JE XI 11003AZ3111A	5PXFH009AZ3HHA		
Plate Fin	Plate Fin 4 / 14 5.5 3/13		
4 / 14			
4.58			
3/12			
Non-bleed TXV	Non-bleed TXV		
3/4 NPT	3/4 NPT		
21 x 30	27 x 34		
R-454B	R-454B		
Brazed	Brazed		
7/8	7/8		
3/8	3/8		
HXWXD	HXWXD		
27 x 13 x 40	33 x 13 x 44		
23.5 x 10 x 35.5	29.5 x 10 x 41.5		
	4/14 4.58 3/12 Non-bleed TXV 3/4 NPT 21 x 30 R-454B Brazed 7/8 3/8 H X W X D 27 x 13 x 40		


^[1] These indoor coils are A.H.R.I. certified with various split system air conditioners and heat pumps (A.H.R.I. Standard 210/240). Refer to the Split System Outdoor product information site or www.ahrinet.org



Performance Data

PRESSURE DROP CHARACTERISTICS FOR COOLING AND HEAT PUMP COILS AIRFLOW (CFM) VS. PRESSURE DROP ACROSS WET COIL										
STATIC PRESSURE DROP THROUGH DRY COIL (Inches W.C.) CFM										
MODEL	400	600	800	1000	1200	1400	1600	1800	2000	
5PXFH005AZ3HHA	0.03	0.05	0.07	0.1	0.13	0.16	0.2	0.23	0.28	
5PXFH009AZ3HHA	0.02	0.04	0.06	0.08	0.1	0.13	0.16	0.19	0.23	





22-2006-1A-EN 5



Trane - by Trane Technologies (NYSE: TT), a global climate innovator - creates comfortable, energy efficient indoor environments for commercial and residential applications. For more information, please visit trane.com or tranetechnologies.com.



Intertek

Trane has a policy of continuous data improvement and it reserves the right to change design and specifications without notice. We are committed to using environmentally conscious print practices.