

Temporary Dehumidification Solutions



Providing dehumidification where and when you need it most.

Temporary dehumidifiers for environmental stability

The need for temporary dehumidification and moisture removal can hit you at the most inconvenient times. Trane Rental Services has equipment to help you in many different situations, including:

- Post-disaster recovery
- Controlled humidity levels during construction projects
- Process humidity control
- Low temperature environments

Dehumidification solutions from a trusted partner

With the expansion of our dehumidification fleet offering, Trane Rental Services can now better serve your equipment needs. Trane also has a wide selection of power generators that can accompany your dehumidification rental.

Trane Rental Services offers you:

- More than 20 years of experience providing temporary equipment solutions
- One of the largest service networks in North America
- 24/7 support, providing you peace of mind

Dehumidification Equipment Solutions

5,000 CFM Desiccant Dehumidifiers

- 480V 3 Phase Power
- Supply and return duct connections
- Convenient fused disconnect with cam-type connections
- Prepped for easy forklift or crane rigging
- Moisture removal up to 102 pounds per hour
- Post-cooling coil with 366 MBh capacity
- 30% efficient pre-filter
- Weather-sealed construction for outdoor use

24/7 Support from Trane Rental Services at 1-800-755-5115.

- Chillers
- Heaters
- Package units
- Power Generation
- Air Handlers
- Oil Free Compressed Air
- Cooling Towers
- Accessories



Learn more at trane.com/rentalservices



Trane – by Trane Technologies (NYSE: TT), a global climate innovator – creates comfortable, energy efficient indoor environments through a broad portfolio of heating, ventilating and air conditioning systems and controls, services, parts and supply. For more information, please visit trane.com or tranetechnologies.com.

All trademarks referenced in this document are the trademarks of their respective owners.

© 2020 Trane. All Rights Reserved.

SRV-SLB136-EN
06/03/2020